

1 **SQE 1-110**



: 96510145

3"

: 35 °C

0,15 / : 35 °C

: 20 °C

998.2 / ³

10700 /

1 ³/

127

: CE,UL,CUL

- : ISO9906:2012 3B

Polyamide /

DIN W.-Nr. 1.4301

AISI 304


DIN W.-Nr. 1.4301

AISI 304







·
·
Rp 1 1/4
· 76
·
· MSE3
- P1: 1.65
- P2: 1.15
· 50 Hz
· 1 x 200-240
· 8.4 A
· 1.00
· 10700 /
·
(IEC 34-5): IP68
(IEC 85): F
· 1.5
·
· 5.7
· 6.4
·
· 0.01 ³
Danish VVS No.: 388441510
Swedish RSK No.: 5853365
Norwegian NRF no.: 9041351

96510145 SQE 1-110 50



		SQE 1-110
		96510145
EAN	:	5700396502410
		10700 /
		1 ³/
		127
		7
		: CE,UL,CUL
		ISO9906:2012 3B
		96080393
		B
		Polyamide /
		DIN W.-Nr. 1.4301
		AISI 304
		DIN W.-Nr. 1.4301
		AISI 304
		Rp 1 1/4
		76
		35 °C
. t	0,15 /	35 °C
		20 °C
		998.2 / ³
		MSE3
		- P1: 1.65
		- P2: 1.15
		50 Hz
		1 x 200-240
		8.4 A
		1.00
		10700 /
(IEC 34-5):		IP68
(IEC 85):		F
		Y
		1.5
		96160855
CU 300/CU 301:		CU
		300/CU 301
		5.7
		6.4
		0.01 ³
		EU/S-AMREG/APRE
		G






Danish VVS No.:	388441510
Swedish RSK No.:	5853365
Norwegian NRF no.:	9041351

GRUNDFOS 

96510145 SQE 1-110 50

74

852



96510145 SQE 1-110 50

