

1 **UPS 25-40 N 180**



: 96913060

, PES/PP.

1-

: 2.. 110 °C  
60 °C  
983.2 / 3

TF :

110  
: CE,VDE

DIN W.-Nr. 1.4301  
, PES/PP

.T :

80 0C: 40 °C

10  
G 1 1/2  
PN 10  
180



C :

1.5




1: 25  
2: 35

	:	45
	:	50 Hz
	:	1 x 230 V
	1:	0.12 A
	2:	0.16 A
	3:	0.2 A
	-	: 1.5
(IEC 34-5):		IP44
(IEC 85):		F
	:	
	:	2.9
	:	3.1
	:	0.004 <sup>3</sup>
VVS No.:		VVS NO 38 0481.041


## 96913060 UPS 25-40 N 180 50




UPS 25-40 N 180	
EAN : 96913060	
: 5700313543083	
TF : 3	
: 40	
: 110	
: CE,VDE	
DIN W.-Nr. 1.4301	
, PES/PP	
.T	40 °C
80 OC:	
	10
	G 1 1/2
	PN 10
	180
	2 .. 110 °C
	60 °C
	983.2 / <sup>3</sup>
C	1.5
1:	25
2:	35
	45
	50 Hz
	1 x 230 V
1:	0.12 A
2:	0.16 A
3:	0.2 A
	1.5
(IEC 34-5):	IP44
(IEC 85):	F
	9H
	2.9
	3.1
	0.004 <sup>3</sup>
VVS No.:	VVS NO 38 0481.041



96913060 UPS 25-40 N 180 50



96913060 UPS 25-40 N 180 50



! [ ] .