




TERMA
SINCE 1990

Alex

CLASSIC


GREEN APPLE // 1140 — 500 // 3-axis thermostatic valve + “Noble” thermostatic head // Cutoff valve








Standard connections:



Available on demand:




Sizes available:






A [mm]	B [mm]	C [mm]	C' [mm]	C'' [mm]		75/65/20 [W]	55/45/20 [W]		D [mm]	E [mm]	F [mm]		
												[dm³]	[Kg]
540	300	270	50	500	RAL+TT	200	102	200	270	355	94	1,75	3,57
540	400	370	50	500	RAL+TT	269	137	300	370	355	94	2,04	4,21
540	500	470	50	500	RAL+TT	328	167	300	470	355	94	2,32	4,85
540	600	570	50	500	RAL+TT	378	193	400	570	355	94	2,60	5,49
760	300	270	50	720	RAL+TT	290	148	300	270	575	94	2,46	4,95
760	400	370	50	720	RAL+TT	370	189	400	370	575	94	2,85	5,85
760	500	470	50	720	RAL+TT	445	227	400	470	575	94	3,25	6,74
760	600	570	50	720	RAL+TT	515	263	600	570	575	94	3,65	7,64
1140	300	270	50	1100	RAL+TT	414	211	400	270	955	94	3,78	7,56
1140	400	370	50	1100	RAL+TT	526	268	600	370	955	94	4,41	8,97
1140	500	470	50	1100	RAL+TT	662	338	600	470	955	94	5,03	10,38
1140	600	570	50	1100	RAL+TT	756	386	800	570	955	94	5,65	11,79
1580	500	470	50	1540	RAL+TT	888	453	800	470	1395	94	6,90	14,17
1580	600	570	50	1540	RAL+TT	1014	517	1000	570	1395	94	7,75	16,09
1580	700	670	50	1540	RAL+TT	1166	595	-	670	1395	94	8,60	18,01


SX




ZX




Z1



Z8



PX



LX

